LRP

Circulation Pump



Connectors on request



In/outlet (inch)	2"	1½"	1¼"	1"	3/4"

Application

- It is widely used for heating ventilating and air conditioning (HVAC) circulation, pressure boosting of hot water in family, homes powered by solar energy, industrial auxiliary equipment cold and hot water circulation and so forth
- Water circulation for the central and district heating system
- Domestic hot water circulation

Pump

- Brass or anti-rust cast iron pump body
- Noryl impeller with heat resistance up to 150°C
- 95% alumina ceramic shaft
- Liquid temperature: 2°C - 110°C

Motor

- Insulation class: H
- Protection class: IP44
- 99% alumina ceramic bearing
- Copper winding
- Three speed motor


Identification Codes

LRP 15-50 B/130

- Distance between inlet and outlet (mm)
- No identification=Cast iron pump body & threaded connection
- F=Cast iron pump body & flange connection
- B=Brass pump body & threaded connection
- Maximum head (dm)
- Nominal diameter of suction and discharge ports (mm)
- Circulation Pump

Model	L (mm)	B (mm)	B1 (mm)	H (mm)	H1 (mm)	G
LRP15-40/130	130	125	75	130	25	G1
LRP15-40B/130	130	125	75	130	25	G1
LRP20-40/130	130	125	75	130	25	G1.25
LRP25-40/130	130	125	75	130	25	G1.5
LRP25-40/180	180	125	75	130	25	G1.5
LRP32-40/180	180	125	75	135	30	G2
LRP15-50/130	130	125	75	130	25	G1
LRP15-50B/130	130	125	75	130	25	G1
LRP20-50/130	130	125	75	130	25	G1.25
LRP25-50/130	130	125	75	130	25	G1.5
LRP25-50/180	180	125	75	130	25	G1.5
LRP32-50/180	180	125	75	135	30	G2
LRP15-60/130	130	125	75	130	25	G1
LRP15-60B/130	130	125	75	130	25	G1
LRP20-60/130	130	125	75	130	25	G1.25
LRP25-60/130	130	125	75	130	25	G1.5
LRP25-60/180	180	125	75	130	25	G1.5
LRP32-60/180	180	125	75	135	30	G2
LRP25-70/130	130	125	75	130	25	G1.5
LRP25-70/180	180	125	75	130	25	G1.5
LRP32-70/180	180	125	75	135	30	G2
LRP25-80/180	180	134	75	154	25	G1.5
LRP25-120/180	180	148	75	155	25	G1.5
LRP25-120B/180	180	148	75	155	25	G1.5
LRP32-80/180	180	137	75	168	40	G2

Dimension Drawing




Model	L (mm)	B (mm)	B1 (mm)	H (mm)	H1 (mm)	D1 (mm)	D2 (mm)	D3 (mm)
LRP32-80F/220	220	150	85	191.5	65	140	Φ100	Φ19
LRP36-80F/200	200	138	85	174.5	45	90	Φ90	Φ11.5
LRP40-80F/250	250	155	85	196.5	70	150	Φ110	Φ19


Model	Voltage /Frequency (V/Hz)	Power(W)			Max. Flow (l/min)	Max.Head (m)	N.W. (kgs)	G.W. (kgs)	Packing Size (mm)
		3	2	1					
LRP15-40/130	220~240/50Hz	67	58	40	46/42/30	4.5/4.4/3.6	2.32	2.45	165x150x140
LRP15-40B/130	220~240/50Hz	67	58	40	46/42/30	4.5/4.4/3.6	2.41	2.54	165x150x140
LRP20-40/130	220~240/50Hz	68	59	40	51/46/32	4.3/4.1/3.6	2.37	2.5	165x150x140
LRP25-40/130	220~240/50Hz	72	63	42	60/55/33	4.6/3.3/2.3	2.44	2.57	165x150x140
LRP25-40/180	220~240/50Hz	73	64	43	64/58/35	4.6/4.3/3.9	2.55	2.71	195x150x140
LRP32-40/180	220~240/50Hz	69	60	41	60/54/37	4.3/4.0/3.4	2.73	2.89	195x150x140
LRP15-50/130	220~240/50Hz	85	60	40	40/32/23	4.5/3.8/2.5	2.32	2.45	165x150x140
LRP15-50B/130	220~240/50Hz	85	60	40	47/37/25	4.5/3.8/2.5	2.41	2.54	165x150x140
LRP20-50/130	220~240/50Hz	75	65	42	50/43/28	5.2/4.9/3.4	2.37	2.5	165x150x140
LRP25-50/130	220~240/50Hz	73	62	41	60/52/33	5.3/5.0/3.6	2.44	2.57	165x150x140
LRP25-50/180	220~240/50Hz	75	66	43	63/53/35	5.2/4.9/3.2	2.55	2.71	195x150x140
LRP32-50/180	220~240/50Hz	73	65	42	63/54/35	5.2/4.9/3.7	2.73	2.89	195x150x140
LRP15-60/130	220~240/50Hz	85	71	44	48/42/28	6.0/5.8/4.2	2.32	2.45	165x150x140
LRP15-60B/130	220~240/50Hz	85	71	44	48/42/28	6.0/5.8/4.2	2.41	2.54	165x150x140
LRP20-60/130	220~240/50Hz	96	69	45	53/37/25	5.5/4.5/2.8	2.37	2.5	165x150x140
LRP25-60/130	220~240/50Hz	83	70	43	58/43/28	5.5/4.5/2.8	2.44	2.57	165x150x140
LRP25-60/180	220~240/50Hz	83	69	44	68/60/35	6.1/5.8/4.5	2.55	2.71	195x150x140
LRP32-60/180	220~240/50Hz	85	77	44	66/58/38	5.9/5.5/4.1	2.73	2.89	195x150x140
LRP25-70/130	220~240/50Hz	150	130	105	67/50/37	6.3/6.0/5.2	2.45	2.61	165x150x140
LRP25-70/180	220~240/50Hz	150	130	105	67/50/37	6.3/6.0/5.2	2.57	2.73	195x150x140
LRP32-70/180	220~240/50Hz	150	130	105	67/50/34	6.3/6.0/5.2	2.75	2.91	195x150x140
LRP25-80/180	220~240/50Hz	200	190	160	120/100/60	7.1/6.5/5.5	4.23	4.57	196x196x160
LRP32-80/180	220~240/50Hz	270	245	160	167/100/60	7.3/6.7/5.4	4.75	5.09	195x196x160
LRP32-80F/220	220~240/50Hz	270	245	160	170/113/65	7.3/6.7/5.4	7.57	8	235x181x207
LRP36-80F/200	220~240/50Hz	270	245	160	170/113/65	7.3/6.7/5.4	5.98	6.36	214x170x190
LRP40-80F/250	220~240/50Hz	270	245	160	170/113/65	7.3/6.7/5.4	8.27	8.74	264x186x212
LRP25-120/180	220~240/50Hz	268	249	163	81/47/30	12/11/8	4.62	4.96	196x196x160
LRP25-120B/180	220~240/50Hz	268	249	163	81/47/30	12/11/8	4.92	5.26	196x196x160

Materials Table


No.	Part	Material
1	Rotor	
2	Thrust bearing adjusting mat	Noryl
3	Thrust ring support	Sillicon rubber
4	Bushings	Graphite
5	Front bearing	Alumina
6	Pump support cover	Stainless steel
7	Check ball	Sillicon rubber
8	Locking	Stainless steel
9	Impeller	PPO
10	Pump body	Cast iron/Brass
11	Pump body insert	Stainless steel
12	Back bearing	Alumina
13	Can brg asm	Stainless steel
14	Can brg asm seal	Sillicon rubber
15	Stator cover(front)	PA66
16	Stator	
17	Stator cover(back)	PA66
18	Housing	ADC12
19	Drain plug	Copper
20	Speed regulation board	
21	Terminal cover	ABS
22	Terminal box	PC
23	Capacitor	




Hydraulic Performance Curves




LRP15-40B/130
LRP15-40/130
Q-H
Q-P



LRP20-40/130
Q-H
Q-P




LRP25-40/130
Q-H
Q-P




LRP20-40/180
Q-H
Q-P


Hydraulic Performance Curves




LRP32-40/180
Q-H
Q-P



LRP15-50B/130
LRP15-50/130
Q-H
Q-P




LRP20-50/130
Q-H
Q-P




LRP25-50/130
Q-H
Q-P


Hydraulic Performance Curves




LRP25-50/180
Q-H
Q-P



LRP32-50/180
Q-H
Q-P




LRP15-60B/130
LRP15-60/130
Q-H
Q-P




LRP20-60/130
Q-H
Q-P


Hydraulic Performance Curves




LRP25-60/130
Q-H
Q-P



LRP25-60/180
Q-H
Q-P




LRP32-60/180
Q-H
Q-P




LRP25-70/130
Q-H
Q-P


Hydraulic Performance Curves




LRP25-70/180
Q-H
Q-P




LRP32-70/180
Q-H
Q-P




LRP25-80/180
Q-H
Q-P



LRP32-80/180
LRP32-80F/220
LRP36-80F/200
Q-H
Q-P



LRP25-120/180
LRP25-120B/180
Q-H
Q-P



LRP40-80F/250
Q-H
Q-P